EFS-Web Receipt date: 02/20/2008

Application No. 10/566,203 Confirmation No. 1020
Applicant: Hideki TATEMATSU et al. Attorney Docket No. P29191
Title: METHOD AND APPARATUS FOR CONTROLLING IMAGE......
Responsive to Official Communication dated: November 28, 2007
REPLACEMENT SHEET 1 6

APPROVED: /SC/ 04/03/2008




FIG. 1


PRIOR ART

EFS-Web Receipt date: 02/20/2008

Application No. 10/566,203 Confirmation No. 1020
Applicant: Hideki TATEMATSU et al. Attorney Docket No. P29191
Title: METHOD AND APPARATUS FOR CONTROLLING IMAGE......
Responsive to Official Communication dated: November 28, 2007
REPLACEMENT SHEET

3/6





## TEMPERATURE (°C)




FIG.5

Application No. 10/566,203 Confirmation No. 1020
Applicant: Hideki TATEMATSU et al. Attorney Docket No. P29191
Title: METHOD AND APPARATUS FOR CONTROLLING IMAGE......
Responsive to Official Communication dated: November 28, 2007
REPLACEMENT SHEET

4.70




FIG.6

EFS-Web Receipt date: 02/20/2008

Application No. 10/566,203

Applicant: Hideki TATEMATSU et al.

Title: METHOD AND APPARATUS FOR CONTROLLING IMAGE......

Responsive to Official Communication dated: November 28, 2007

REPLACEMENT SHEET

5/6

IMAGE FORMING START TIME (ts2)

	10°C∼17°C	18°C~
100 mm/s	15 sec	13 sec
124 mm/s	18 sec	16 sec

FIG.7




FIG.8